PTO/SB/08A (10-01)

10/18/2007

Considered

Approved for use through 10/31/2002.OMB 0651-0031 U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number. Complete if Known Substitute for form 1449A/PTO **Application Number** 10/505,400 INFORMATION DISCLOSURE Filing Date August 19, 2004 STATEMENT BY APPLICANT First Named Inventor Stanton L. Gerson Art Unit (use as many sheets as necessary) Examiner Name Sheet 5 CWRU-P03-015 of Attorney Docket Number

	U.S. PATENT DOCUMENTS					
Examiner	Cite	Document Number	Publication Date	Name of Patentee or Applicant	Pages, Columns, Lines, Where Relevant	
Initials*	No.1	Number-Kind Code <sup>2</sup> (# known)	MM-DD-YYYY	of Cited Document	Passages or Relevant Figures Appear	
/B.P./	AA	5,731,304	03-1998	Baer et al.		
/B.P./	AB	6,465,448	10/15/02	Gerson et al.		
				-		

	FOREIGN PATENT DOCUMENTS								
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	Г			
Initials*	No.1	Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>5</sup> (if known)	MM-DD-YYYY	Applicant of Cited Document	Passages or Relevant Figures Appear	To			
/B.P./	AC	JP 10045589	02/1998			$\top$			
/B.P./	AD	WO 94/15615	07/1994						

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup> See attached Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. <sup>3</sup> Enter Office that Issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the application number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

		OTHER PRIOR ART – NON PATENT LITERATUR	RE DOCUMEN	TS	
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the a item (book, magazine, journal, serial, symposium, catalog, etc), da publisher, city and/or country where p	ate, page(s), volum		T²
/B.P./	AE	Ahnen. Colon Cancer Prevention by NSAIDs: What is the 582, 111-114 (1998).	Mechanism of	Action? Eur. J. Surg.	
/B.P./	AF	Bianchi et al. O6-methylguanine-DNA Methyltransferase A Immunogenicity in Murine Tumor Cells Treated with Methyl Chemother. Pharmacol. 29, 277-282 (1992).			
/B.P./	AG	Boulton et al. Potentiation of temozolomide-induced cytoto biological effects of poly (ADP-ribose) polymerase inhibitor (1995).	oxicity: a compa s. Br. J. Cance	arative study of the er 72, 849-856	
/B.P.	AH /	Branch et al. Defective mismatch binding ad a mutator phedamage. Nature 362, 652-654 (1993).	enotype in cells	tolerant to DNA	
/B.P	/ Al	Buschfort et al. DNA excision repair profiles of normal and functional analysis at the single-cell level. Cancer Res. 57,			
/B.P.	AJ	Caldecott et al. XRCC1 polypeptide interacts with DNA pol (ADP-ribose) polymerase, and DNA ligase III is a novel mo Nucleic Acids Res. 24, 4387-4394 (1996).			
/B.P	/	Chou and Talalay. "Quantitative analysis of dose-effect rel	ationship: the o	combined effects of	
Examiner		/Beniamin J. Packard/	Date	10/18/2007	

/Benjamin J. Packard/

Signature

PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Understand Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Subs	stitute for form 1449A/P	то		Complete If Known		
				Application Number	10/505,400	
IN	<b>IFORMATIC</b>	N DI	SCLOSURE	Filing Date	August 19, 2004	
STATEMENT BY APPLICANT				First Named Inventor	Stanton L. Gerson	
				Art Unit		
	(use as many	sheets as	necessary)	Examiner Name		
Sheet	2	of	5	Attorney Docket Number	CWRU-P03-015	

AK		
/B.P./	Choy et al. Concurrent Paclitaxel, Carboplatin, and Radiation Therapy for Locally Advanced Non-small Cell Lung Cancer. Seminars in Oncology 26, Suppl. 2: 36-43 (1999).	
/B.P./	Exper. Cell Res. 246, 1-10 (1999).	
/B.P./ <sup>AN</sup>	Coquerelle et al. Overexpression of N-methylpurine-DNA glycosylase in Chinese hamster ovary cells renders them more sensitive to the production of chromosomal aberrations by methylating agents: a case of imbalanced DNA repair. Mutation Res. 336, 9-17 (1995).	
/B.P./ AO	De Murcia, J.M. et al. Requirement of poly (ADP-ribose) polymerase in recovery from DNA damage in mice and in cells. PNAS 94, 7303-7304 (1997).	
/B.P./	Engelward et al. Repair-deficient 3-methyladenine DNA glycosylase homozygous mutant mouse cells have increased sensitivity to alkylation-induced chromosome damage and cell killing. EMBO J. 15, 945-952 (1996).	
/B.P./	Fink et al. The role of DNA mismatch repair in drug resistance. Clin. Cancer Res. 4, 1-6 (1998).	
/B.P./	Gonzaga et al. Identification of the cross-link between human O6-methylguanine-DNA methyltransferase and chloroethlnitrosourea-treated DNA. Cancer Res. 52, 6052-6058 (1992).	
/B.P./	Griffin et al. DNA mismatch binding and incision at modified guanine bases by extracts of mammalian cells: implications for tolerance to DNA methylation damage. Biochemistry 33, 4787-4793 (1994).	
/B.P./ AT	Gunderson. Indications for and Results of Combined Modality Treatment of Colorectal Cancer: Acta Oncologica 38, 7-21 (1999).	
/B.P./	Hainsworth et al. The Current Role and Future Prospects of Paclitaxel in the Treatment of Small Cell Lung Cancer. Seminars in Oncology 26, Suppl. 2: 60-66 (1999).	
/B.P./	Kaina et al. Chromosomal instability, reproductive cell death and apoptosis induced by O6-methylguanine in Mex-, Mex+ and methylation-tolerant mismatch repair compromised cells: facts and models. Mutation Res. 381, 227-241 (1997).	
/B.P./	Karran and Bignami. DNA damage tolerance, mismatch repair and genome instability. BioEssays 16, 833-839 (1994).	
/B.P./	Kat et al. An alkylation-tolerant, mutator human cell line is deficient in strand-specific mismatch repair. PNAS 90, 6424-6428 (1993).	
/B.P / AY	Kerr et al. Novel therapeutic strategies for colorectal cancer. Hosp. Med. 59, 617-621 (1998).	

Examiner I	(D : : 1 D : 1)	Date	10/18/2007
	/Ponjomin I Dookord/	Date	10/18/2007
Signature	/Benjamin J. Packard/	Ommaldanad	10/10/2007
Signature	. , , , , , , , , , , , , , , , , , , ,	Considered	

PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE and to a collection of information unless it contains a valid OMB control number.

Subs	titute for form 1449A/	PTO		Complete if Known		
				Application Number	10/505,400	
INFORMATION DISCLOSURE				Filing Date	August 19, 2004	
STATEMENT BY APPLICANT				First Named Inventor	Stanton L. Gerson	
		•		Art Unit		
	(use as man	y sheets as ne	cessary)	Examiner Name		
Sheet	3	of	5	Attorney Docket Number	CWRU-P03-015	

/B.P./	AZ	Kingma and Osheroff. Apurinic sties are position-specific topoisomerase II poisons. J. Biol. Chem. 272, 1148-1155 (1997).	
/B.P.	BA	Lazebnik et al. Cleavage of poly(ADP-ribose) polymerase by a proteinase with properties like ICE. Nature 371, 346-347 (1994).	
/B.P./	BB	Lindahl et al. Post-translation modification of poly(AD-P-ribose) polymerase induced DNA strand breaks. Trends Biochem. Scil 20, 405-411 (1995).	
/B.P./	ВС	Link et al. Basic research supported developments of chemotherapy in nonresectable isolated colorectal liver metastases to a protocol of hepatic artery infusion using mitoxantrone, 5-FU + folinic acid and mitomycin C. Gan To Kagaku Ryoho 26, 269-281 (1999).	
/B.P./	BD	Liu et al. Mismatch repair mutations override alkyltransferase in conferring resistance to temozolomide by not to 1,3-bis(2-chloroethyl)nitrosourea. Cancer Res. 56, 5375-5379 (1996).	
/B.P./	BE	Liu, L. et al. Clin. Cancer Res. 5, 2908-2917 (1999).	
/B.P./	BF	Liu, L. et al. Methoxyamine Mediated Inhibition of Base Excision Repair (BER) Significantly Enhances Temozolomide Antitumor Effect in Mismatch Repair (MMR) Proficient and Deficient Colon Cancer Xenografts. Proc. Am. Assoc. Cancer Res. 41, 98 (March 2000).	
/B.P./	BG	Malapetsa et al. Identification of a 116 kDa protein able to bind 1,3-bis (2-chloroethyl)-1-nitrosourea-damaged DNA as poly (ADP-ribose) polymerase: Mutation Res. 362, 41-50 (1996).	
/B.P./	вн	Matijasevic et al. Protection against chloroethylnitrosourea cytotoxicity by eukaryotic 3-methyladenine DNA glycosylase. PNAS 90, 11855-11859 (1993).	
/B.P./	ВІ	Midgley et al. Colorectal Cancer. Lancet 353, 391-399 (1999).	
/B.P./	BJ	Mitchell and Dolan. Effect of temozolomide and dacarbazine on O6-alkylguanine-DNA alkyltransferase activity and sensitivity of human tumor cells and xenografts to 1,3-bis(2-chloroethyl)-1-nitrosourea. Cancer Chemother. Pharmacol. 32, 59-63 (1993).	
/B.P./	BK	Molinete et al. Over production of the poly (ADP-ribose) polymerase beta. Mutation Res. 407, 203-215 (1998).	
/B.P./	BL	Morris et al. Flow cytometric evaluation of cell-cycle progression in ethyl methanesulfonate and methyl methanesulfonate-exposed P3 cells: relationship to the induction of sister-chromatid exchanges and cellular toxicity. Environ. Mol. Mutagen. 18, 139-149 (1991).	
/B.P./	ВМ	Neddermann et al. Cloning and Expression of Human G/T Mismatch-specific Thymine-DNA Glycosylase. J. Biol. Chem. 271, 12767-12774 (1996).	
/B.P./	BN	Neijt et al. Paclitaxel/Carboplatin for the Initial Treatment of Advanced Ovarian Cancer. Seminars in Oncology 26, Suppl. 2: 78-83 (1999).	

Signature / Derijamin J. Packard/   Considered   10/10/2007	Examiner Signature	/Benjamin J. Packard/		
---	-----------------------	-----------------------	--	--

JAN 1 3 2005 🕏

PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031

U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

s	ubstitute for form 1449A	/PTO		Complete If Known		
				Application Number	10/505,400	
	NFORMATI	ON DIS	CLOSURE	Filing Date	August 19, 2004	
	STATEMEN	IT BY AF	PPLICANT	First Named Inventor	Stanton L. Gerson	
			•	Art Unit		
	(use as many sheets as necessary)			Examiner Name		
Shee	1 4	of	5	Attorney Docket Number	CWRU-P03-015	

and Differentiation 8, 443-449 (1997).  BW Rosenquist et al. Cloning and characterization of a mammalian 8-oxoguanine DNA glycosylase. PNAS 94, 7429-7434 (1997).  BX Samson et al. Cloning and characterization of a 3-methyladenine DNA glycosylase cDNA from human cells whose gene maps to chromosome 16. PNAS 88, 9127-9131 (1991).  BY Sobol et al. Requirement of mammalian DNA polymerase-beta in base-excision repair. Nature 379, 183-186 (1996).  BZ Tavema, P. et al. Methoxyamine (MX) Potentiates DNA Single Strand and Double Strand Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).  CA Tentori et al. Role of Wild-Type p53 on the Antineoplastic Activity of Temozolomide Alone or Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).  CB Tentori, L. et al. Cytotoxic and clastogenic effects of a DNA minor groove binding methyl			
repair enzyme. EMBO J. 8, 3121-3125 (1989).    B.P.   BQ   Pegg et al. Structure, function and inhibition of O6-alky/guanine-DNAAGT. Prog. Nucleic Acid Res. Mol. Biol. 51, 167-233 (1995).    BR   Pera et al. Exceptional sensitivity of testicular germ cell tumour cell lines to the new anticancer agent, tomozolomide. Br. J. Cancer 71, 904-906 (1995).    BS   Perez. Paclitaxel Plus Nonanthracycline Combinations in Metastatic Breast Cancer. Seminars in Oncology 26, Suppl. 2, 21-26 (1999).    BT   Prakash and Gibson. Sequence-selective depurination, DNA interstrand cross-linking and DNA strand break formation associated with alkylated DNA. Carcinogenesis 13, 425-431 (1992).    BU   Radicella et al. Cloning and characterization of hOOG1, a human homolog of the OGG1 gene of Saccharomyces cerevisiae. PNAS 94, 8010-8015 (1997).    BV   Robertson et al. Down-regulation of apurinic/apyrimidinic endonuclease expression is associated with the induction of apoptosis in differentiating myeloid leukemia cells. Cell Growth and Differentiation 8, 443-449 (1997).    BW   Rosenquist et al. Cloning and characterization of a mammalian 8-oxoguanine DNA glycosylase. PNAS 94, 7429-7434 (1997).    BP   BX   Samson et al. Cloning and characterization of a 3-methyladenine DNA glycosylase cDNA from human cells whose gene maps to chromosome 16. PNAS 88, 9127-9131 (1991).    BY   Sobol et al. Requirement of mammalian DNA polymerase-beta in base-excision repair. Nature 379, 183-186 (1996).    BP   BX   Tavema, P. et al. Methoxyamine (MX) Potentiates DNA Single Strand and Double Strand Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).    BR   CA   Tentori et al. Role of Wild-Type p53 on the Aritineoplastic Activity of Temozolomide Alone or Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).	/B.P./	во	O'Connor et al. Isolation and structure of a cDNA expressing a mammalian 3-methyladenine-DNA glycosylase. EMBO J. 9, 3337-3342 (1990).
Res. Mol. Biol. 51, 167-233 (1995).   Res. Mol. Biol. 51, 167-233 (1997).   Res. Mol. Single Strand and Double Strand Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).   Res. Mol. Biol. 51, 167-233 (1998).   Res. Mol. Biol. 51, 167-233	/B.P./	8P	Olsen et al. Molecular cloning of human uracil-DNA glycosylase, a highly conserved DNA repair enzyme. EMBO J. 8, 3121-3125 (1989).
cancer agent, tomozolomide. Br. J. Cancer 71, 904-908 (1995).    BS   Perez. Paclitaxel Plus Nonanthracycline Combinations in Metastatic Breast Cancer. Seminars in Oncology 26, Suppl. 2, 21-26 (1999).    BT   Prakash and Gibson. Sequence-selective depurination, DNA interstrand cross-linking and DNA strand break formation associated with alkylated DNA. Carcinogenesis 13, 425-431 (1992).    BU   Radicella et al. Cloning and characterization of hOOG1, a human homolog of the OGG1 gene of Saccharomyces cerevisiae. PNAS 94, 8010-8015 (1997).    BV   Robertson et al. Down-regulation of apoptosis in differentiating myeloid leukemia cells. Cell Growth and Differentiation 8, 443-449 (1997).    BW   Rosenquist et al. Cloning and characterization of a mammalian 8-oxoguanine DNA glycosylase. PNAS 94, 7429-7434 (1997).    BV   Rosenquist et al. Cloning and characterization of a 3-methyladenine DNA glycosylase cDNA from human cells whose gene maps to chromosome 16. PNAS 88, 9127-9131 (1991).    BY   Sobol et al. Requirement of mammalian DNA polymerase-beta in base-excision repair. Nature 379, 183-186 (1996).    BV   Rosenquist et al. Requirement of mammalian DNA polymerase-beta in base-excision repair. Nature 379, 183-186 (1996).    BV   Taverna, P. et al. Methoxyamine (MX) Potentiates DNA Single Strand and Double Strand Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).    CA   Tentori et al. Role of Wild-Type p53 on the Antineoplastic Activity of Temozolomide Alone or Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).	/B.P./	BQ	Pegg et al. Structure, function and inhibition of O6-alkylguanine-DNAAGT. Prog. Nucleic Acid Res. Mol. Biol. 51, 167-233 (1995).
/B.P./ BT Prakash and Gibson. Sequence-selective depurination, DNA interstrand cross-linking and DNA strand break formation associated with alkylated DNA. Carcinogenesis 13, 425-431 (1992).  BU Radicella et al. Cloning and characterization of hOOG1, a human homolog of the OGG1 gene of Saccharomyces cerevisiae. PNAS 94, 8010-8015 (1997).  BV Robertson et al. Down-regulation of apurinic/apyrimidinic endonuclease expression is associated with the induction of apoptosis in differentiating myeloid leukemia cells. Cell Growth and Differentiation 8, 443-449 (1997).  BW Rosenquist et al. Cloning and characterization of a mammalian 8-oxoguanine DNA glycosylase. PNAS 94, 7429-7434 (1997).  BX Samson et al. Cloning and characterization of a 3-methyladenine DNA glycosylase cDNA from human cells whose gene maps to chromosome 16. PNAS 88, 9127-9131 (1991).  BY Sobol et al. Requirement of mammalian DNA polymerase-beta in base-excision repair. Nature 379, 183-186 (1996).  BZ Taverna, P. et al. Methoxyamine (MX) Potentiates DNA Single Strand and Double Strand Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).  CA Tentori et al. Role of Wild-Type p53 on the Antineoplastic Activity of Temozolomide Alone or Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).  CB Tentori, L. et al. Cytotoxic and clastogenic effects of a DNA minor groove binding methyl sulfonate ester in mismatch repair deficient leukemia cells. Leukemia 14, 1451-1459 (2000).	/D.P./		Pera et al. Exceptional sensitivity of testicular germ cell tumour cell lines to the new anti- cancer agent, tomozolomide. Br. J. Cancer 71, 904-906 (1995).
DNA strand break formation associated with alkylated DNA. Carcinogenesis 13, 425-431 (1992).    BU   Radicella et al. Cloning and characterization of hOOG1, a human homolog of the OGG1 gene of Saccharomyces cerevisiae. PNAS 94, 8010-8015 (1997).    BV   Robertson et al. Down-regulation of apurinic/apyrimidinic endonuclease expression is associated with the induction of apoptosis in differentiating myeloid leukemia cells. Cell Growth and Differentiation 8, 443-449 (1997).    BW   Rosenquist et al. Cloning and characterization of a mammalian 8-oxoguanine DNA glycosylase. PNAS 94, 7429-7434 (1997).    BX   Samson et al. Cloning and characterization of a 3-methyladenine DNA glycosylase cDNA from human cells whose gene maps to chromosome 16. PNAS 88, 9127-9131 (1991).    BY   Sobol et al. Requirement of mammalian DNA polymerase-beta in base-excision repair. Nature 379, 183-186 (1996).    BZ   Tavema, P. et al. Methoxyamine (MX) Potentiates DNA Single Strand and Double Strand Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).    CA   Tentori et al. Role of Wild-Type p53 on the Antineoplastic Activity of Temozolomide Alone or Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).    CB   Tentori, L. et al. Cytotoxic and clastogenic effects of a DNA minor groove binding methyl sulfonate ester in mismatch repair deficient leukemia cells. Leukemia 14, 1451-1459 (2000).	T T		Seminars in Oncology 26, Suppl. 2, 21-26 (1999).
/B.P./ BV Robertson et al. Down-regulation of apurinic/apyrimidinic endonuclease expression is associated with the induction of apoptosis in differentiating myeloid leukemia cells. Cell Growth and Differentiation 8, 443-449 (1997).  BW Rosenquist et al. Cloning and characterization of a mammalian 8-oxoguanine DNA glycosylase. PNAS 94, 7429-7434 (1997).  BX Samson et al. Cloning and characterization of a 3-methyladenine DNA glycosylase cDNA from human cells whose gene maps to chromosome 16. PNAS 88, 9127-9131 (1991).  BY Sobol et al. Requirement of mammalian DNA polymerase-beta in base-excision repair. Nature 379, 183-186 (1996).  BZ Tavema, P. et al. Methoxyamine (MX) Potentiates DNA Single Strand and Double Strand Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).  CA Tentori et al. Role of Wild-Type p53 on the Antineoplastic Activity of Temozolomide Alone or Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).  CB Tentori, L. et al. Cytotoxic and clastogenic effects of a DNA minor groove binding methyl sulfonate ester in mismatch repair deficient leukemia cells. Leukemia 14, 1451-1459 (2000).	/B.P./	ВТ	DNA strand break formation associated with alkylated DNA. Carcinogenesis 13, 425-431
associated with the induction of apoptosis in differentiating myeloid leukemia cells. Cell Growth and Differentiation 8, 443-449 (1997).  BW Rosenquist et al. Cloning and characterization of a mammalian 8-oxoguanine DNA glycosylase. PNAS 94, 7429-7434 (1997).  BX Samson et al. Cloning and characterization of a 3-methyladenine DNA glycosylase cDNA from human cells whose gene maps to chromosome 16. PNAS 88, 9127-9131 (1991).  BY Sobol et al. Requirement of mammalian DNA polymerase-beta in base-excision repair. Nature 379, 183-186 (1996).  BZ Taverna, P. et al. Methoxyamine (MX) Potentiates DNA Single Strand and Double Strand Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).  CA Tentori et al. Role of Wild-Type p53 on the Antineoplastic Activity of Temozolomide Alone or Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).  CB Tentori, L. et al. Cytotoxic and clastogenic effects of a DNA minor groove binding methyl sulfonate ester in mismatch repair deficient leukemia cells. Leukemia 14, 1451-1459 (2000).	1	BU	Radicella et al. Cloning and characterization of hOOG1, a human homolog of the OGG1 gene of Saccharomyces cerevisiae. PNAS 94, 8010-8015 (1997).
B.P.   Samson et al. Cloning and characterization of a 3-methyladenine DNA glycosylase cDNA from human cells whose gene maps to chromosome 16. PNAS 88, 9127-9131 (1991).    BY	/B.P./	-	associated with the induction of apoptosis in differentiating myeloid leukemia cells. Cell Growth
from human cells whose gene maps to chromosome 16. PNAS 88, 9127-9131 (1991).  BY Sobol et al. Requirement of mammalian DNA polymerase-beta in base-excision repair.  Nature 379, 183-186 (1996).  BZ Taverna, P. et al. Methoxyamine (MX) Potentiates DNA Single Strand and Double Strand Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).  CA Tentori et al. Role of Wild-Type p53 on the Antineoplastic Activity of Temozolomide Alone or Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).  CB Tentori, L. et al. Cytotoxic and clastogenic effects of a DNA minor groove binding methyl sulfonate ester in mismatch repair deficient leukemia cells. Leukemia 14, 1451-1459 (2000).	/B.P./	BW	Rosenquist et al. Cloning and characterization of a mammalian 8-oxoguanine DNA glycosylase. PNAS 94, 7429-7434 (1997).
/B.P./ BZ Tavema, P. et al. Methoxyamine (MX) Potentiates DNA Single Strand and Double Strand Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).  CA Tentori et al. Role of Wild-Type p53 on the Antineoplastic Activity of Temozolomide Alone or Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).  CB Tentori, L. et al. Cytotoxic and clastogenic effects of a DNA minor groove binding methyl sulfonate ester in mismatch repair deficient leukemia cells. Leukemia 14, 1451-1459 (2000).	/B.P./		Samson et al. Cloning and characterization of a 3-methyladenine DNA glycosylase cDNA from human cells whose gene maps to chromosome 16. PNAS 88, 9127-9131 (1991).
Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).  CA Tentori et al. Role of Wild-Type p53 on the Antineoplastic Activity of Temozolomide Alone or Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).  CB Tentori, L. et al. Cytotoxic and clastogenic effects of a DNA minor groove binding methyl sulfonate ester in mismatch repair deficient leukemia cells. Leukemia 14, 1451-1459 (2000).	/B.P./		Nature 379, 183-186 (1996).
/B.P./ Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).  CB Tentori, L. et al. Cytotoxic and clastogenic effects of a DNA minor groove binding methyl sulfonate ester in mismatch repair deficient leukemia cells. Leukemia 14, 1451-1459 (2000).			Breaks Induced by Temozolomide (TMZ) in Colon Cancer Cells. Proc. Am. Assoc. Cancer Res. 41, 265 (March 2000).
/B.P./ sulfonate ester in mismatch repair deficient leukemia cells. Leukemia 14, 1451-1459 (2000).	/B.P./		Combined with Inhibitors of Poly(ADP-Ribose) Polymerase. J. Pharmacol. Exp. Ther. 285, 884-893 (1998).
/B.P.// CC Thomale et al. Haematol. Blood Transfus. 39, 3-12 (1998).	/B.P./	СВ	Tentori, L. et al. Cytotoxic and clastogenic effects of a DNA minor groove binding methyl sulfonate ester in mismatch repair deficient leukemia cells. Leukemia 14, 1451-1459 (2000).
	/B.P./	cc	Thomale et al. Haematol. Blood Transfus. 39, 3-12 (1998).

Examiner		Date	10/18/2007
Signature	/Benjamin J. Packard/	Considered	

JAN 1 3 2005 &

PTC/SB/08A (10-01)
Approved for use through 10/31/2002.OMB 0651-0031
U. S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

inder the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Su	bstitute for form 1449A/PT	0	-	Complete If Known		
				Application Number	10/505,400	
11	<b>VFORMATIO</b>	N DI	SCLOSURE	Filing Date	August 19, 2004	
8	STATEMENT	BY A	APPLICANT	First Named Inventor	Stanton L. Gerson	
			,	Art Unit		
	(use as many sheets as necessary)			Examiner Name		
Sheet	5	of	5	Attorney Docket Number	CWRU-P03-015	

/B.P./	CD	Vollberg et al. Isolation and characterization of the human uracil DNA glycosylase gene. PNAS 86, 8693-8697 (1989).	
/B.P./	CE	Von Hoff. Promising New Agents for Treatment of Patients with Colorectal Cancer. Seminars in Oncology 25, Suppl 11: 47-52 (1998).	
/B.P./	CF	Walker et al. A role for the human DNA repair enzyme HAP1 in cellular protection against DNA damaging agents and hypoxic stress. Nucleic Acids Res. 22, 4884-4889 (1994).	•
/B.P./	CG	Wedge et al. 3-Aminobenzamide and/or O6-benzylguanine evaluated as an adjuvant to temozolomide or BCNU treatment in cell lines of variable mismatch repair status and O6-alkylguanine-DNA alkyltransferase activity. Br. J. Cancer 74, 1030-1036 (1996).	
/B.P./	CH	Wedge et al. In vitro evaluation of temozolomide combined with X-irradiation. Anti-Cancer Drugs 8, 92-97 (1997).	·
/B.P.	CI /	Wedge et al. Effect of single and multiple administration of an O6-benzylguanine/temozolomide combination: an evaluation in a human melenoma xenograft model. Cancer Chemother. Pharmacol. 40, 266-272 (1997).	di.
/B.P./	CJ	Wilson et al. Life without DNA repair. PNAS 94, 12754-12757 (1997).	
/B.P./	СК	Wilson. Mammalian base excision repair and DNA polymerase beta. Mutation Res. 407, 203-215 (1998).	

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examiner	/Benjamin J. Packard/	Date	40/40/0007
Signature	/Benjamin J. Packard/	Considered	10/18/2007

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.

FEB 2 2 2005 ST

PTO/SB/08A (10-01)

Approved for use through 10/31/2002.OMB 0651-0031
U. S. Petent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Subs	titute for form 1449A/i	ЭΤΟ		Complete If Known			
				Application Number	10/505,400		
SUF	PPLEMENT	TAL INFO	ORMATION	Filing Date	August 19, 2004		
	DISC	CLOSUR	E	First Named Inventor	Stanton L. Gerson		
S	TATEMEN	T BY AP	PLICANT	Art Unit	Not Yet Assigned		
				Examiner Name	Not Yet Assigned		
Sheet	1	of	1 '	Attorney Docket Number	CWRU-P03-015		

U.S. PATENT DOCUMENTS							
Examiner Cite Document Number Publication Date Name of Patentee or Applicant Where Relevan							
No.1	Number-Kind Code <sup>2</sup> (if known)	MM-DD-YYYY	of Cited Document	Passages or Relevant Figures Appear			
	Cite No.¹	Cite	Cite Document Number Publication Date	Cite Document Number Publication Date Name of Patentee or Applicant			

		FOREI	GN PATENT	OCUMENTS		
Examiner	Cite	Foreign Patent Document	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant	
Initials*	No.1	Country Code <sup>3</sup> -Number <sup>4</sup> -Kind Code <sup>8</sup> (# known)	MM-DD-YYYY	Applicant of Cited Document	Passages or Relevant Figures Appear	70
						L
						┺
		<u> </u>				1

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant

¹Applicant's unique citation designation number (optional). ²See attached Kinds Codes of USPTO Patent Documents at <a href="https://www.uspto.gov">www.uspto.gov</a> or MPEP 901.04. ²
Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). °For Japanese patent documents, the Indication of the year of the reign of the Emperor must precede the application number of the patent document. ¹Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁴Applicant is to place a check mark here if English language Translation is attached.

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
/B.P./	AE	Rosa et al., "Processing in vitro of an abasic site reacted with methoxyamine: a new assay for the detection of abasic sites formed in vivo," Nucleic Acids Res. 19:5569-5574 (1991)	
/B.P./	AD	Menissier-de Murcia et al., "Requirement of poly (ADP – ribose) polymerase in recovery from DNA damage in mice and in cells," Proc. Natl. Acad. Sci. USA 94:7303-7304 (1997)	
/B.P./	AC	Liuzzi and Talpeart-Borle, "A new approach to the study of the base-excision repair pathway using methoxyamine," J. Biol. Chem. 260:5252-5258 (1985)	
/B.P./	AB	Fortini et al., Methoxyamine modification of abasic sites protects CHO cells from the cytotoxic and mutagenic effects of oxygen alkylation," Carcinogenesis 13: 87-93 (1992)	
/B.P./	AA	Fortini et al., "Mutagenic processing of esthylation damage in mammalian cells: the use of methoxyamine to study apurinic/apyrimidinic site-induced mutagenesis," Cancer Res. 53:1149-1155 (1993)	

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examiner	(5)	Date	
	/Renjamin I Packard/	100.0	40/40/0007
Signature	/Benjamin J. Packard/	Considered	10/18/2007
Signature		Considered	10/10/2007

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English language Translation is attached.